



ATLV

LitterVac



ATLV LitterVac

Beautiful Performance



Large capacity hopper means much longer operation before debris dumping.

The ATLV LitterVac can make an area the size of a football field look spotless in about half an hour – safely, efficiently, and cost-effectively.

With a debris-recovering capacity nearly twice that of any competitor, the ATLV All-Terrain Litter Vacuum restores beauty to parks, school grounds, city sidewalks, monuments, shopping centers – even zoos. The ATLV cleans surfaces ranging from asphalt to concrete to grass, and also picks up hard-to-reach litter in fences.



A four-wheel stance provides greater stability, lessens the risk of tip-overs, and gives a smooth ride.


Innovative Ergonomics

Special attention was given to operator safety and comfort in designing the ATLV

LitterVac. A standard rollover protection system (ROPS) safeguards operators. Plus, ergonomically designed seat and controls reduce operator fatigue to ensure the job gets done right.

Maximum Productivity


The ATLV's optional wide-area vacuum head provides maximum productivity. The patent-pending unique design allows the operator to remove the nozzle from the head and reach into and clean remote areas.



The Model 4300 comes in a choice of custom colors. Choose between yellow, red, purple, blue and green.



An optional vacuum wand lets operators clean hard-to-reach places.



Convenient Trash Disposal

Debris container uses standard off-the-shelf trash bags.

Adjustable Vacuum Hose

Adjustable vacuum hose permits you to reach litter in fences and planters.

Ergonomic Controls

Advanced ergonomics include power/tilt steering, and a vacuum hose with gas cylinder assist.

Disc Brakes

Dual rear-wheel disc brakes provide sure stops and limited slip traction.

Tall Frame

High ground clearance helps machine climb curbs.

All-Terrain Tires

Four wide, all-terrain tires deliver greater mobility and minimize ground compaction.

Tight Turning Radius

Turning radius to inside wheel provides 3-wheel movement in a 4-wheel machine.



The ATLV removes litter, cans, and broken glass from grass-covered grounds in parks or stadiums.



Hard surfaces such as asphalt and concrete quickly regain their visual appeal.



Vacuum nozzle with adjustable handle reaches to clean thoroughly alongside fences.

ATLV LITTERVAC SPECIFICATIONS

MACHINE DIMENSIONS

Length	102 in	2590 mm
Width	46 in	1170 mm
Height	84 in	2110 mm
Minimum U-Turn (left)	160 in	4070 mm
Net weight	1860 lb	844 kg

PROPELLING SYSTEM

Speed forward	16 mph	26 km/h
Speed reverse	5 mph	8 km/h
Gradeability		
Full hopper	12 deg /21%	
Empty hopper	12 deg /21%	

LITTER PICK-UP SYSTEM

Type	Vacuum nozzle	
Coverage rate per hour with 48 in/1220 mm vac head option	105,600 ft ²	9800 m ²
Time required to cover a football field	1/2 hour	
Capacity		
Volume capacity	110 gal	415 L
Bag capacity (each)	55 gal	208 L
Bag size	44 in (W)	1120 mm (W)
	55 in (L)	1400 mm (L)
	3 mil	0.076 mm

TENNANT VALUE ADDED EQUIPMENT INCLUDES:


4 wheels with front spring suspension, ROPS (meets OSHA 1928.51), power steering, vacuum fan shutoff, cool gray seat, uni-body frame construction, industrial radiator, tilt steering wheel, corrosion-resistant litter tank

TO CUSTOMIZE, HERE ARE YOUR OPTIONS:

Audio-visual backup alarm, 5 paint color options, trailer hitch, foam-filled tires, 4 post ROPS w/weather shield, vacuum wand w/extension, traction tires, fence-line attachment, vacuum fan discharge filter, vacuum wand attachment, road travel package, panel filter air discharge dust control



A unique, sturdy rollover protection system (ROPS) safeguards operators.



ISO 9001 Certified (Some options may not be available in all countries.)

Creating a cleaner, safer world™

Tennant Company offers the most complete lines of floor and surface maintenance equipment, floor coatings, brushes and cleaning detergents in the world, for the industrial, commercial and outdoor cleaning markets. Our sales and service networks are able to provide you with integrated custom cleaning solutions to meet any floor care need.



TENNANT COMPANY

701 North Lilac Drive
P.O. Box 1452
Minneapolis, MN 55440, U.S.A.
Tel: 763-540-1200
Fax: 763-513-2144
www.tennantco.com