

REINVENT HOW THE WORLD CLEANS



T16

Battery-powered rider scrubberdryer

Lower your cost of ownership, using innovative cleaning technology that is versatile and easy to maintain – the T16 has it all!

Available technologies



ec-H2O[™] technology with Severe Environment[™] switch

Detergent metering

IRIS® Fleet Manager

ES® Extended Scrubbing

Blue spot light for enhanced safety

Engineered for **Productivity**



- 1. Optional scrubbing side brush provides a 1.145 mm scrub path, and a large 190 l solution tank is engineered for maximum cleaning performance and productivity.
- Easy to identify maintenance Touch Points ensure daily maintenance items are checked and your investment is properly maintained and protected.
- 3. Touch-N-Go[™] Control Module with 1-Step[™] start button – enhance safety with intuitive controls located right in front of the operator, eliminating the need to remove hands from the steering wheel to change scrub settings.
- **4. Reduce repair costs** and protect the rear squeegee when backing up with the optional rear squeegee protection kit.

Optional Accessories



Bring high performance spill recovery to hard to reach areas with the optional in-line telescoping vac wand.




Protect operators from falling objects with the optional overhead guard.



Protect the T16 from contact damage with the optional front bumper.

Inside the **T16**



- Keep the operator compartment neat and tidy to achieve new levels of productivity. The side cargo net and removable tool caddy help the operator stay organized and keep the compartment free of debris.
- 2. Extend component life and reduce maintenance cost with the AC brushless propelling motor that operates more efficiently than traditional DC motors.
- **3. Improve cleaning results** by equipping the T16 with a cylindrical or a disc head and modifying the down pressure that suits the application.

- **4. Reduce operating costs** with robust machine construction that stands up to severe environments, but is also designed to prevent damage to walls and fragile fixtures.
- Reduce slip/fall and maintenance costs with the Dura-Trak[™] parabolic squeegee system that provides excellent water recovery and can be changed easily without tools.

T16 specifications

Scrub Path (standard) with Scrubbing Side Brush	910 mm 1.145 mm
Disk brush speed	300 rpm
Disk brush down force (up to)	114 kg
Cylindrical brush speed	500 rpm
Cylindrical brush down force (up to)	91 kg
Solution tank	190
Solution capacity (ES®)	280
Recovery tank	225
Vacuum fan speed water lift	0,56 kW 14.000 rpm 1.650 mm
PROPELLING SYSTEM	
Propel speed forward (variable to) Propel speed reverse (variable to)	9 km/h 4 km/h
Gradeability (transport at gross weight) working (scrubbing)	8° / 14,1% 4° / 7%
or declaring (realisport of gross weight) + working (serusbing)	
BATTERY SELECTIONS	
	Wet 240 AH Wet 320 AH Gel 220 AH
SATTERY SELECTIONS	
BATTERY SELECTIONS Battery optional packages MACHINE SPECIFICATIONS	
SATTERY SELECTIONS Battery optional packages	Wet 240 AH Wet 320 AH Gel 220 AH
BATTERY SELECTIONS Battery optional packages MACHINE SPECIFICATIONS Length basic machine	Wet 240 AH Wet 320 AH Gel 220 AH 1.880 mm
BATTERY SELECTIONS Battery optional packages MACHINE SPECIFICATIONS Length basic machine Width, body	Wet 240 AH Wet 320 AH Gel 220 AH 1.880 mm 1.040 mm
AATTERY SELECTIONS Battery optional packages MACHINE SPECIFICATIONS Length basic machine Width, body Height (top of steering wheel)	Wet 240 AH Wet 320 AH Gel 220 AH 1.880 mm 1.040 mm 1.475 mm
AATTERY SELECTIONS Battery optional packages MACHINE SPECIFICATIONS Length basic machine Width, body Height (top of steering wheel) With overhead guard	Wet 240 AH Wet 320 AH Gel 220 AH 1.880 mm 1.040 mm 1.475 mm 2.080 mm
AATTERY SELECTIONS Battery optional packages MACHINE SPECIFICATIONS Length basic machine Width, body Height (top of steering wheel) With overhead guard Weight empty (no battery)	Wet 240 AH Wet 320 AH Gel 220 AH 1.880 mm 1.040 mm 1.475 mm 2.080 mm 500 kg

See your local representative for warranty information

Specifications subject to change without notice.

Tennant – Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



TennantTrue®

Optimize equipment performance and protect your investment with Tennant*True®* parts and service.

For a demonstration or additional information, call +32 3 217 94 11 or email europe@tennantco.com

t16-brochure-en-emed 4/23

©2023 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved.

Tennant Europe tennant.eu