



T16AMR Industrial Robotic Scrubber-Dryer

Address labor challenges, reduce the need for pre-sweeping, drive efficiencies and maintain a high standard of cleaning with the T16AMR, a robotic cleaning machine designed to work safely and efficiently alongside employees so they can focus on high-value tasks.

Available Technologies




ec-H2O NanoClean® technology



LED safety package


An Industrial Robotic Solution



- 1. Maintain health and safety** of employees and guests with on-board safety measures like cameras and sensors.
- 2. Monitor cleaning performance** and other key metrics with both daily and weekly reporting.
- 3. Enhance user experience** with intuitive controls, on-board learning center and operator-centric design.
- 4. Minimize environmental impact** of cleaning operations with ec-H2O® NanoClean.

- 5. Prevent squeegee damage** with rear squeegee protection kit and suite of sensors.
- 6. Save time and ensure proper maintenance** with yellow touch points.
- 7. Support employee and facility safety** with full LED safety package, including a standard forward projection blue light to alert personnel of the AMR's location and direction of travel.
- 8. Easily maintain flooded lead acid batteries** with single point battery watering system.

Inside the T16AMR



1. Reduce detergent usage and use less water, both saving you money and minimizing your environmental impact, with ec-H2O NanoClean® technology.

2. Clean thoroughly in a single pass with a cylindrical scrub head and high-performance vacuum system.

3. Engineered for safety, the T16AMR operates in complex, real world environments with BrainOS® advanced vision-based technology.

4. Clean up to 4 hours per day with flooded lead acid batteries in a single shift cleaning.

5. Clean larger and more open environments in industrial facilities with a high-powered lower LIDAR system.

6. Enhance user experience and simplify maintenance troubleshooting with intuitive controls and operator-centric design.

T16AMR Specifications

CLEANING SYSTEM

Cleaning Path	910 mm
Brush RPM	500 rpm
Brush Down Pressure (up to)	91 kg
Solution Tank	190 L
Recovery Tank	225 L
System Voltage	36V

BATTERIES

Flooded Lead Acid Battery Pack	36V, 360 AH
Battery Run Time (Flooded Lead Acid)	4,0 hrs

MACHINE SPECIFICATIONS

Weight (with standard batteries with optional batteries)	785 kg 635 kg
Length	2,030 mm
Width	1,070 mm
Height (to light)	1,475 mm

AMR

Safety	Overlapping sensors detect and avoid people and obstacles. Equipped with two auto-stop buttons. Horn. Anti-joyride ride detection. Beeps alert passerbys. Blinkers alert turn direction.
Learning System	Teach/Repeat and Area Fill

WARRANTY

See your local representative for warranty information

Specifications subject to change without notice.

Tennant—Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs

Tennant's dedicated AMR customer success focuses on making your robotic cleaning program successful. Our industry-leading customer success team combines their robotics implementation experience and in-depth knowledge of cleaning equipment to serve our robotics customers.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information, call **+32 3 217 94 11** or email **europe@tennantco.com**

TENNANT EUROPE NV
tennant.eu