

T1 / T1B Scrubber | PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

BRUSHES

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines
- Easy installation helps reduce machine downtime and service calls
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass

| MODEL | PART DESCRIPTION | SIZE | PART NUMBER |
|----------|---------------------------------------|--------------|-------------|
| T1 / T1B | Nylon Cylindrical Scrub Brush | 15" (381 mm) | 1037197 |
| T1 / T1B | Polypropylene Cylindrical Scrub Brush | | 1037277 |
| T1 / T1B | Abrasive Cylindrical Scrub Brush | | 1037278 |

SQUEEGEES

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines
- Less rework and low labor costs
- Ideal fit for any application with three types of squeegees
 - Premium Linatex® rubber exhibits outstanding strength and resistance to cutting and tearing
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils
 - Economy Gum Rubber is costeffective option for smooth, indoor floors, made of a combination of natural material and fillers

| MODEL | PART DESCRIPTION | SIZE | PART NUMBER |
|-------|--|--------------|-------------|
| T1 | Urethane Front Squeegee Blade Assembly | 18" (460 mm) | 1245930 |
| T1 | Urethane Back Squeegee Blade Assembly | | 1245931 |
| T1B | Urethane Inner Squeegee | 15" (381 mm) | 1245933 |
| T1B | Urethane Outer Squeegee | | 1245932 |

BATTERY AND CHARGER

| PART DESCRIPTION | PART NUMBER |
|---|-------------|
| 12V, 50AH AMG Battery | 1065086 |
| Lithium-ion Battery Replacement Kit | 9008690 |
| 12VDC 10A Charger | 1067790 |
| 12VDC, 16A, 120/240VDC [LI-ION] Charger | 1065754 |

GENERAL MAINTENANCE

| MODEL | PART DESCRIPTION | SIZE | PART NUMBER |
|-------|------------------------------|--------------|-------------|
| T1 | Squeegee Roller | | 1030852 |
| T1 | Foot Pedal | | 1034376 |
| T1 | Wheel Release Pedal Lever | | 1034420 |
| T1 | 120V Extension Cord (50ft) | | 1042403 |
| T1 | 120V Solution Pump Solenoid | | 1035850 |
| T1 | 120V Single Brush Motor | | 1072719 |
| T1 | Belt Kit | | 9004283 |
| T1 | Tank Gaskets | | 1052876 |
| T1 | 80 Mesh Solution Tube Filter | | 1074694 |
| T1 | Recovery Hose | | 1035866 |
| T1 | Solution Hose | | 1036078 |
| T1 | Wire Reinforced Vac Hose | 18" (457 mm) | 1037756 |
| T1 | Vacuum Hose | 13" (330 mm) | 1038391 |
| T1 | Vacuum Hose | 15" (381 mm) | 1038394 |

TENNANT TRUE® CLEANING SOLUTIONS

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives
- Color coded for easy identification, training, and safety
- Low-foam formulas allows for easy rinsing and may help extend some equipment components

| PRODUCT DESCRIPTION | SIZE | PART NUMBER |
|--|---------------|-------------|
| | 2.5 gal | 9015248 |
| | 5 gal | 9006758 |
| NEUTRAL pH DAILY CLEANER (CLEAR) For light duty cleaning. Safe for all floor types. Low foam. | 15 gal w/pump | 9006759 |
| For light-duty cleaning. Safe for all floor types. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1/4 oz per gal; Moderate cleaning – 1/2 oz per gal. | 15 gal | 9006760 |
| | 55 gal w/pump | 9006761 |
| | 55 gal | 9006762 |
| | 275 gal | 9006763 |
| | 2.5 gal | 9015246 |
| | 5 gal | 9006764 |
| NEUTRAL PURPOSE CLEANER (PURPLE) For medium-duty cleaning. Sale for most floor types. Low | 15 gal w/pump | 9006765 |
| foam. Contains environmentally safer surfactants, Green | 15 gal | 9006766 |
| Seal Certified. NSF approved. pH: 10-11. Dilution: Light cleaning – 1/2 oz per gal; Moderate cleaning – 2 oz per gal. | 55 gal w/pump | 9006767 |
| ersaming 1/2 of per gar, moderate eleaning 2 of per gan | 55 gal | 9006768 |
| | 275 gal | 9006769 |
| | 2.5 gal | 9015247 |
| NEUTRAL LUCOLVENT DECREACER (VELLOW) | 5 gal | 9006770 |
| NEUTRAL pH SOLVENT DEGREASER (YELLOW) For aggressive cleaning in heavy manufacturing & industrial | 15 gal w/pump | 9006771 |
| environments. Good for grease removal. Low foam. Contains low volatile solvents & environmentally safer surfactants. NSF | 15 gal | 9006772 |
| approved. pH: 7-8. Dilution: Light cleaning – 1 oz per gal; | 55 gal w/pump | 9006773 |
| Heavy cleaning – 4 oz per gal. | 55 gal | 9006774 |
| | 275 gal | 9006775 |
| | 2.5 gal | 9015249 |
| | 5 gal | 9006776 |
| HIGH ALKALINE DEGREASER (RED) | 15 gal w/pump | 9006777 |
| For heavy-duty cleaning in manufacturing & industrial environments with petroleum & grease. Low foam. Contains | 15 gal | 9006778 |
| low volatile solvents. NSF approved. pH: 12.5-13.5. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal. | 55 gal w/pump | 9006779 |
| Light cleaning – 1 oz per gai, rieavy cleaning – 4 oz per gai. | 55 gal | 9006780 |
| | 275 gal | 9006781 |
| | 2.5 gal | 9015250 |
| SUPER STRENGTH SOLVENT DEGREASER (ORANGE) For extremely aggressive cleaning in heavy manufacturing & | 5 gal | 9008791 |
| industrial environments. Good for grease & mark removal. | 15 gal w/pump | 9008795 |
| Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per | 15 gal | 9008796 |
| gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to | 55 gal w/pump | 9008797 |
| 15 oz per gal. | 55 gal | 9008798 |
| HIGH ALKALINE DEGREASER (WHITE GRANULAR) Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Diluton: Light cleaning – one 2.2 lb bag / | 22 Lb Box | 9006782 |
| 4 cups per 30 gal warm water; Heavy cleaning – one 2.2 lb bag / 4 cups per 15 gal warm water. | Granular Drum | 9006783 |