# T500 / T500e Scrubber



COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

#### **Brushes**

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

	PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART #
DISK	Nylon Scrub Brush	001/1070	1223991
	Polypropylene Scrub Brush	26" (650 mm) / 2 x 13" (330 mm) brushes	1223989
	Super Abrasive Scrub Brush	2 x 10 (000) 2.0000	1223990
	Nylon Scrub Brush	001/1700	1221541
	Polypropylene Scrub Brush	28" (700 mm) / 2 x 14" (355 mm) brushes	1220218
	Super Abrasive Scrub Brush	Z X T Y (ccc mm) braches	1220217
	Nylon Scrub Brush	00"/000	1220215
	Polypropylene Scrub Brush	32" (800 mm) / 2 x 16" (405 mm) brushes	1220216
	Super Abrasive Scrub Brush	Z X To (Too min) bradited	1220214
CYLINDRICAL	Nylon 28" Scrub Brush	001/1700	222305
	Polypropylene 28" Scrub Brush	28" (700 mm) / 2 x 28" (700 mm) brushes	222304
	Abrasive 28" Scrub Brush	2 x 20 (7 00 mm) brasiles	222306

### **Squeegees**

- EasyExceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal for use in a variety of applications.
  Tennant offers three types of squeegee materials to best suit your needs.
  - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
  - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based
  - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

	PART DESCRIPTION	SCRUB PATH	PART #
	Linard Squeegee		1232680
	Urethane Squeegee	26" (650 mm)	1228915
	Gum Rubber Squeegee		1228919
	Linard Squeegee		1232679
FRONT	Urethane Squeegee	28" (700 mm)	1228906
	Gum Rubber Squeegee		1228907
	Linard Squeegee		1232681
	Urethane Squeegee	32" (800 mm)	1228922
	Gum Rubber Squeegee		1228923
REAR	Linatex® Squeegee		1221585
	Urethane Squeegee	26" (650 mm)	1228909
	Gum Rubber Squeegee		1228910
	Linatex® Squeegee		1221572
	Urethane Squeegee	28" (700 mm)	1228904
	Gum Rubber Squeegee		1228905
	Linatex® Squeegee		1221115
	Urethane Squeegee	32" (800 mm)	1228920
	Gum Rubber Squeegee		1228921

#### **Pads / Pad Drivers**

- Available for a variety of cleaning needs and floor types.
  - Polishing
  - Scrubbing
  - Stripping

PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART #
$3M^{\text{TM}}$ White Polishing Pad, case of 5		1243342
3M™ Red Cleaning Pad, case of 5	201/ (252	1243341
3M™ Blue Scrubbing Pad, case of 5	26" (650 mm) / 2 x 13" (330 mm) pads	1243655
3M™ Brown Stripping Pad, case of 5	2 x 13 (330 mm) pad3	1243567
Pad Driver		1220220
3M™ White Polishing Pad, case of 5		1243343
3M™ Red Cleaning Pad, case of 5		1243656
3M™ Blue Scrubbing Pad, case of 5	28" (700 mm) /	1243344
3M™ Brown Stripping Pad, case of 5	2 x 14" (355 mm) pads	1243657
3M™ Black HiPro Stripping Pad, case of 5		1243658
Pad Driver		1220221
3M™ White Polishing Pad, case of 5		1243356
3M™ Red Cleaning Pad, case of 5		1243355
3M™ Blue Scrubbing Pad, case of 5	32" (800 mm) /	1243354
3M™ Brown Stripping Pad, case of 5	2 x 16" (405 mm) pads	1243685
3M™ Black HiPro Stripping Pad, case of 5		1243659
Pad Driver		1220222
Red Backer Pad, case of 5		1221839
3M™ White Polishing Pad, case of 5		1223246
3M™ Red Cleaning Pad, case of 5	Orbital 14" x 28"	1218157
3M™ Blue Scrubbing Pad, case of 5	(355 mm x 700 mm) pad	1223247
3M™ Maroon Surface Prep Pad, case of 5		1223248
Green Turf Pad, case of 5		1223250
Melamine Cleaning Pad, case of 5	Orbital 14" x 28" (355 mm x 700 mm) pad (case of 5)	1228002

### **Stone Care Solutions**

- Easy and effective method to restore concrete and terrazzo floors to a high gloss finish.
- Our Stone Care Solutions enable professionals to grind and polish concrete floors using standard cleaning equipment.
- Three tools are needed for the T20 two clockwise tools and one counter-clockwise tool.

	PART DESCRIPTION	TOOL SIZE	PART#
DIAMABRUSH™ STONE CARE TOOL	Diamabrush™ 1,000 Grit Polishing Disk	28" (700 mm) /	1246624
	Diamabrush™ 2,000 Grit Polishing Disk	2 x 14" (355 mm)	1246625
	Diamabrush™ 1,000 Grit Polishing Disk	32" (800 mm) / 2 x 16" (405 mm	1226634
	Diamabrush™ 2,000 Grit Polishing Disk		1246635
	1,000 Grit Replacement Blades (set of 11)		1060183
	2,000 Grit Replacement Blades (set of 11)		1060184
TRIZACT	Scotchgard <sup>™</sup> Stone Floor Protector		1073768
	Scotchgard™ Floor Protector Applicator Pad		1073771
	3M™ Easy Shine Applicator Kit		1073770
	3M™ Easy Trap Duster		1073769
	Scotchgard™ Purple Diamond Floor Pad, 14", o	case of 5	1073749
	Scotchgard™ Purple Diamond Floor Pad, 16", o	case of 5	1073750

#### **General Maintenance**

- Optimized equipment cleaning performance
- Reduced maintenance costs and machine wear

	PART	PART #	
PART DESCRIPTION	T500	T500e	
Squeegee Assembly Kit, with Linatex Blades 650 mm	901530	01	
Squeegee Assembly Kit, with Linatex Blades 700 mm	901530	02	
Squeegee Assembly Kit, with Linatex Blades 800 mm	901530	03	
Filter, In-Line, 080 Mesh	12115	1211537	
Recovery Tank Debris Tray	12073	1207357	
Cylindrical Skirt Cover	121803	32	
Cylindrical Belt Side Skirt Cover	12180	12	
Drain Cap Assembly [PVC]	12189	55	
Recovery Hose Assembly [PVC]	12112	20	
Drain Hose Assembly, Pinch Cuff [PU]	1250482	1248221	
Drain Cap Assembly [PU]	121913	34	
Solution Hose	901572	28	
Charger, 24 VDC 13a 85- 265vac [On-Board]	125004	46	
Charger, 24 VDC, 13a85- 265vac [Off-Board]	12543	91	
Ignition Key (set of 2)	101769	96	
6V, 225 AH, Wet Battery (4 req)	1015	5	
6V, 260 AH, Wet Battery (4 req)	39082	5	
6V, 220 AH, AGM Battery (4 req)	10740	42	
Squeegee Caster (2 req)	100634	43	
Squeegee Bumper Wheel	22206	6	
Head Splash Skirt – Cyl. (4 req)	12185	73	
Head Splash Skirt – Disk (for 26" / 650 mm scrub path)	123233	24	
Head Splash Skirt – Disk (for 28" / 700 mm scrub path)	123233	25	
Head Splash Skirt – Disk (for 32" / 800 mm scrub path)	123233	26	
ec-H2O NanoClean® WCM 270 ML Cartridge	90136	46	

## Tennant True® Cleaning Solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components.
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives.
- Color coded for easy identification, training, and safety.
- Low-foam formulas allows for easy rinsing and may help extend some equipment components.

PART DESCRIPTION	SIZE	PART #
	2.5 gal	9015248
	5 gal	9006758
Neutral pH Daily Cleaner (Clear): For light-duty cleaning, safe	45 1 / * 0000750	9006759
for all floor types, low foam, contains biodegradable surfactants,	15 gal	9006760
and Green Seal & NSF certified	55 gal w/pump*	9006761
	55 gal	9006762
	275 gal*	9006763
	2.5 gal	9015246
	5 gal	9006764
Neutral Purpose Cleaner (Purple): For medium-duty cleaning,	15 gal w/pump*	9006765
safe for most floor types, low foam, contains biodegradable	15 gal	9006766
surfactants, and Green Seal & NSF certified	55 gal w/pump*	9006767
	55 gal	9006768
	275 gal*	9006769
	2.5 gal	9015247
	5 gal	9006770
Neutral pH Solvent Degreaser (Yellow): For aggressive	15 gal w/pump*	9006771
cleaning, heavy manufacturing & industrial environments, low foam, contains low volatile solvents & biodegradable surfactants,	15 gal	9006772
and is NSF certified	55 gal w/pump*	9006773
	55 gal	9006774
	275 gal*	9006775
	2.5 gal	9015249
	5 gal	9006776
	15 gal w/pump*	9006777
High Alkaline Degreaser (Red): For heavy-duty cleaning, heavy	15 gal	9006778
manufacturing & industrial environments, low foam, contains low	55 gal w/pump*	9006779
volatile solvents & biodegradable surfactants, and is NSF certified	55 gal	9006780
	275 gal*	9006781
	22 Lb box	9006782
	granular drum	9006783
	2.5 gal	9015250
Super Strength Solvent Degreaser (Orange): For extremely aggressive cleaning in heavy manufacturing & industrial	5 gal	9008791
environments. Good for grease & mark removal. Low foam.	55 gal	9008795
Contains enviromentally safer surfactants. NSF approved.	9 15- gal	9008796
pH: 7-8. Dilution: General cleaning — 1/2-3 oz per gal; Heavy cleaning — 4-8 oz per gal; Severe cleaning — up to 15 oz per gal.	4 55- gal	9008797
ordaning 4 0 02 per gar, occord ordaning up to 10 02 per gar.	275 gal*	9008798