

### CREATING A CLEANER, SAFER, HEALTHIER WORLD.



# **S10**

## INDUSTRIAL-STRENGTH WALK-BEHIND SWEEPER

- The S10 sweeps both open and congested spaces providing cleaning versatility
- Increase productivity with the largest hopper of any walk-behind sweeper; holds up to 150 lb / 68 kg of debris
- Exceptional dust control helps protect facility and employees

# BEST-IN-CLASS WALK-BEHIND SWEEPER: THE IDEAL SOLUTION TO MEET YOUR SWEEPING NEEDS



### SWEEP BOTH OPEN AND CONGESTED SPACES

Compact design enables the operator to efficiently clean both open and congested spaces.

### **CLEAN LONGER**

The S10 features two powerful, 155 amp hour batteries for fume-free, long-running performance, while the ergonomic handle ensures operator comfort.

### LESS MAINTENANCE COST

Reduce maintenance costs with durable, corrosion-proof construction, while the wrap-around bumper protects machine and facility.

### DELIVER A THOROUGH CLEAN

Fully variable forward and reverse functions ensure easy maneuverability, in any direction, while exceptional dust control filters down to 3 microns.

# INSIDE THE



- Large capacity steel hopper free-floating hopper holds up to 150 lb / 68 kg, 2.8 ft<sup>3</sup> / 79 L of debris.
- **B** Dust filtration  $49 \text{ ft}^2 / 4.6 \text{ m}^2$  panel filter captures dust down to 3 microns @ 99% efficiency.
- C Mechanical filter shaker automatically timed, circular hammer design.
- **Onboard charger** plugs into standard 110V outlet. Makes changing easy and accessible.
- **Ergonomic handle** designed for maximum control and comfort; height adjustable with three settings (simple tools required).

### TENNANT*TRUE®* PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only Tennant*True* parts and service.
- Ensure optimal cleaning performance by selecting a Tennant*True* Service program.
- Improve uptime by leveraging TennantTrue parts and service.

### S10 INDUSTRIAL-STRENGTH WALK-BEHIND SWEEPER

### SWEEPING SYSTEM

Cleaning path	34 in / 860 mm
BRUSH DRIVE SYSTEM	
Brush speed Main brush length (tubular) Side brush diameter (disk) Debris hopper Volume capacity Weight capacity	550 rpm 26 in / 660 mm 17 in / 430 mm 2.8 ft <sup>3</sup> / 79 L 150 lb / 68 kg
POWER SYSTEM	
Battery type	24V system, (2) 12V, 155 Ah
PROPELLING SYSTEM	
Propelling motor Propel speed forward (variable to) Propel speed reverse (variable to) Gradeability Full hopper Empty hopper	1.0 hp / 0.75 kW 2.9 mph / 4.7 km/h 2.9 mph / 4.7 km/h 5 deg / 8.75% 7 deg / 12.2%
DUST CONTROL SYSTEM	
Filter area Shaker mechanism Vacuum fan motor Vacuum fan speed Vacuum fan diameter MACHINE SPECIFICATIONS	49 ft² / 4.6 m² Automatic timed 1 hp / 0.75 kW 2,000 rpm 9 in / 230 mm
Length	63 in / 1,600 mm
Width Height Handle in lowest position Handle in middle position Handle in highest position Weight Minimum aisle turn Sound level (operator's ear)	36.5 in / 925 mm 37 in / 940 mm 39.5 in / 1,000 mm 42 in / 1,070 mm 599 lb / 272 kg 68 in / 1,730 mm 73 dBA

WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.

SEEING IS BELIEVING For a demonstration or additional information, send an email to info@tennantco.com

1.022.001.ap.en S10 Brochure 1/19 ©2019 The Tennant Company logo and other trademarks designated with the symbol "<sup>®</sup>" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved. Tennant 701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315

www.tennantco.com info@tennantco.com